

# PRODUCT DESCRIPTION

BRAND	FIELD GX	ENHANCED OR INPUT TRAIT	MATURITY			POTENTIAL YIELD		STANDABILITY		LEAF DISEASE RESISTANCE	DROUGHT TOLERANCE	SEEDLING EMERGENCE
			APPROX. DAYS	G.D.U.S TO MID POLLEN	G.D.U.S TO BLACK LAYER	LOWER YIELDING	HIGHER YIELDING	STALK STRENGTH	ROOT STRENGTH			
A618-90	F	VT2RIB, CONV	88	1227	2315	Very Good	Excellent	9	9	8	8	8
A621-77	F	STXRIB, VT2RIB, RR	91	1239	2321	Excellent	Excellent	8	8	7	9	7
A6179	F	STXRIB, VT2RIB	93	1240	2352	Very Good	Excellent	8	8	7	8	8
A624-11	F	AS3220AEZ, CONV	94	1239	2365	Excellent	Excellent	8	8	7	9	8
A6199	F	STXRIB, VT2RIB, CONV	95	1243	2384	Good	Excellent	9	8	7	8	9
A625-78	F	VT2RIB	95	1254	2395	Very Good	Excellent	8	8	7	7	8
A6217	F	STXRIB, VT2RIB	97	1252	2416	Very Good	Excellent	7	9	7	8	8
A6237	F	STXRIB, VT2RIB	98	1250	2420	Very Good	Excellent	8	9	7	8	9
A628-20	F	VT2RIB	98	1245	2428	Excellent	Excellent	8	9	7	8	8
A629-22	F	STXRIB, VT2RIB, CONV	99	1255	2490	Excellent	Very Good	8	8	8	7	8
A6257	F	STXRIB, VT2RIB, CONV	100	1265	2500	Excellent	Excellent	9	8	8	9	9
A630-31	H	VT2RIBD1	100	1257	2500	Excellent	Very Good	9	9	8	10	9
A631-38	B/F/H	VT2RIB	101	1290	2520	Very Good	Very Good	8	9	8	8	8
A6267	F	STXRIB, VT2RIB, CONV	102	1269	2520	Excellent	Excellent	9	7	8	9	9
A633-94	F	STXRIB	103	1268	2545	Good	Excellent	7	7	7	7	8
A6300	G	STXRIB, VT2RIB, CONV	103	1267	2521	Excellent	Very Good	8	8	8	8	9
A6355	H	STXRIB, VT2RIB, CONV	103	1300	2580	Very Good	Excellent	8	9	7	8	8
A6326WX	A	CONV WX	104	1287	2600	Good	Excellent	8	8	8	7	9
A6346	F	STXRIB, VT2RIB	104	1282	2570	Very Good	Excellent	9	9	7	8	8
A6351	F	STXRIB, VT2RIB	105	1302	2587	Very Good	Excellent	8	9	7	8	8
A635-54	F	STXRIB, VT2RIB, CONV	105	1310	2615	Very Good	Excellent	8	9	8	8	9
A636-55	F	VT2RIB	106	1348	2680	Good	Excellent	8	9	8	7	8
A636-56	F	STXRIB	106	1355	2700	Excellent	Excellent	8	8	8	9	9
A637-55	B/D/H	VT2RIB, CONV	107	1376	2725	Very Good	Very Good	8	7	8	8	8
A6413	F	STXRIB, VT2RIB, CONV	107	1370	2722	Very Good	Excellent	8	9	8	7	9
A6416	F	STXRIB, CONV	107	1379	2720	Good	Excellent	7	9	7	7	8
A638-74	F/G	VT2RIB	108	1370	2720	Very Good	Excellent	7	8	8	8	8
A638-84	F/G	CONV	108	1379	2725	Very Good	Very Good	7	8	8	8	8
A638-94	F	STXRIB	108	1360	2735	Good	Excellent	7	8	7	7	8
A6424	B	AS3111	108	1375	2725	Very Good	Excellent	7	9	7	8	7
A6426WX	F	CONV WX	108	1355	2720	Good	Excellent	7	8	7	7	9
A639-40	H	VT2RIB, CONV	109	1380	2740	Very Good	Excellent	9	7	8	7	8

**INPUT AND OUTPUT TRAIT TECHNOLOGY LEGEND**

STXRIB SmartStax® RIB Complete® Corn Blend  
STX SmartStax® Corn

VT3PRIB Genuity® VT Triple PRO® RIB Complete® Corn Blend  
VT3PRO Genuity® VT Triple PRO® Corn

WXVT3PRO Waxy Genuity® VT Triple PRO® Corn  
VIPTERA 3111 Agrisure Viptera® 3111

VT2RIBD1 DroughtGard® VT Double Pro® RIB Complete® Corn Blend  
VIPTERA 3220A E-Z Agrisure Viptera® 3220A E-Z Refuge®

TRCRIB Trecepta™ RIB Complete® Corn Blend  
TRC Trecepta™

WXVT2PRO Waxy VT Double Pro®  
VT2RIB VT Double Pro® RIB Complete® Corn Blend

MATURITY RANGE  
**88 TO 109 DAYS**

**GRAIN QUALITY**

**PLANTING RECOMMENDATIONS**

TEST WEIGHT	KERNEL TEXTURE	PLANT HEIGHT	LOW		MEDIUM		HIGH		BRAND
			30" ROWS	NARROW/TWIN ROWS	30" ROWS	NARROW/TWIN ROWS	30" ROWS	NARROW/TWIN ROWS	
7	Medium	Medium Tall	28-30,000	30-32,000	30-32,000	32-34,000	32-35,000	33-36,000	<b>A618-90</b>
7	Medium	Medium Tall	28-30,000	30-32,000	30-32,000	32-34,000	32-35,000	33-36,000	<b>A621-77</b>
8	Medium Hard	Medium	28-30,000	30-32,000	30-32,000	32-34,000	32-35,000	33-36,000	<b>A6179</b>
8	Medium Hard	Medium Tall	28-30,000	30-32,000	30-32,000	32-34,000	32-35,000	33-36,000	<b>A624-11</b>
7	Medium Hard	Medium Tall	30-32,000	32-34,000	32-34,000	34-36,000	34-36,000	36-38,000	<b>A6199</b>
8	Medium	Medium Tall	28-30,000	30-32,000	30-32,000	32-34,000	32-35,000	33-36,000	<b>A625-78</b>
8	Medium Hard	Medium	28-30,000	30-32,000	30-32,000	32-34,000	32-35,000	33-36,000	<b>A6217</b>
7	Medium	Medium Short	30-33,000	32-34,000	32-35,000	34-36,000	34-36,000	36-38,000	<b>A6237</b>
8	Medium	Medium Tall	28-30,000	28-30,000	30-32,000	32-34,000	32-35,000	33-36,000	<b>A628-20</b>
9	Medium Hard	Medium Tall	28-32,000	30-32,000	32-34,000	32-35,000	34-36,000	34-38,000	<b>A629-22</b>
8	Medium	Medium	28-30,000	28-30,000	30-32,000	32-34,000	32-34,000	33-36,000	<b>A6257</b>
8	Medium	Medium	28-32,000	30-32,000	30-33,000	32-34,000	32-34,000	33-36,000	<b>A630-31</b>
9	Medium Hard	Medium Tall	30-33,000	32-34,000	32-35,000	34-36,000	34-36,000	36-38,000	<b>A631-38</b>
8	Medium	Medium Tall	28-30,000	28-30,000	30-32,000	32-34,000	32-34,000	33-36,000	<b>A6267</b>
8	Medium Hard	Medium	30-32,000	32-34,000	32-34,000	34-36,000	34-36,000	34-38,000	<b>A633-94</b>
8	Medium	Medium Tall	28-30,000	28-30,000	30-32,000	32-34,000	32-34,000	33-36,000	<b>A6300</b>
8	Medium	Medium	30-32,000	32-34,000	32-34,000	34-36,000	35-37,000	36-38,000	<b>A6355</b>
8	Medium	Medium	28-30,000	30-32,000	30-32,000	32-34,000	32-34,000	34-36,000	<b>A6326WX</b>
8	Medium Hard	Medium	30-32,000	32-34,000	32-34,000	33-35,000	34-36,000	35-38,000	<b>A6346</b>
9	Medium Hard	Medium Short	30-32,000	32-34,000	32-34,000	34-36,000	34-36,000	36-38,000	<b>A6351</b>
9	Medium Hard	Medium Tall	28-32,000	30-32,000	30-34,000	32-35,000	32-36,000	34-38,000	<b>A635-54</b>
9	Hard	Medium Tall	30-32,000	32-34,000	32-34,000	34-36,000	34-36,000	36-38,000	<b>A636-55</b>
8	Medium Hard	Medium	30-32,000	32-34,000	32-34,000	34-36,000	34-36,000	36-38,000	<b>A636-56</b>
8	Medium Hard	Medium	26-30,000	28-32,000	30-33,000	32-34,000	32-35,000	34-36,000	<b>A637-55</b>
9	Hard	Medium Short	30-32,000	32-34,000	32-34,000	34-36,000	35-37,000	36-38,000	<b>A6413</b>
8	Medium Hard	Medium Tall	30-32,000	32-34,000	32-34,000	34-36,000	35-37,000	36-38,000	<b>A6416</b>
8	Medium Hard	Medium Tall	28-30,000	28-30,000	30-32,000	32-34,000	32-34,000	34-36,000	<b>A638-74</b>
9	Medium Hard	Medium Tall	28-30,000	28-30,000	30-32,000	32-34,000	32-34,000	34-36,000	<b>A638-84</b>
9	Medium Hard	Medium Short	30-32,000	32-34,000	32-34,000	34-36,000	35-37,000	36-38,000	<b>A638-94</b>
7	Medium	Medium	28-30,000	30-32,000	30-33,000	32-34,000	32-34,000	34-36,000	<b>A6424</b>
9	Medium Hard	Medium	28-30,000	30-32,000	30-32,000	32-34,000	32-34,000	34-36,000	<b>A6426WX</b>
7	Medium	Medium	28-32,000	30-34,000	32-34,000	34-36,000	32-36,000	34-36,000	<b>A639-40</b>

Ratings are based on other AgriGold hybrids

1 = Our lowest rating in the category 10 = Our best rating in the category N.R. = Not Recommended

VT2PRO VT Double Pro® RR Roundup Ready® Corn 2 CONV Conventional  
VIPTERA 3220E-Z Agrisure Viptera® 3220 E-Z Refuge® WX Waxy

Ratings are assigned by AgriGold® based on comparisons with other AgriGold® products (not competitive products) through in-house field testing. Performance may vary from location to location and from year to year, as local growing, soil and weather conditions may vary. Growers should evaluate data from multiple locations and years whenever possible and should consider the impacts of these conditions on the grower's fields.

# PRODUCT DESCRIPTION

BRAND	FIELD GX	ENHANCED OR INPUT TRAIT	MATURITY			POTENTIAL YIELD		STANDABILITY		LEAF DISEASE RESISTANCE	DROUGHT TOLERANCE	SEEDLING EMERGENCE
			APPROX. DAYS	G.D.U.S TO MID POLLEN	G.D.U.S TO BLACK LAYER	LOWER YIELDING	HIGHER YIELDING	STALK STRENGTH	ROOT STRENGTH			
A639-41	F	STXRIB	109	1375	2756	Very Good	Very Good	9	9	8	8	8
A6442	F	STXRIB, VT2RIB	109	1370	2755	Excellent	Very Good	8	8	8	9	8
A640-77	F	STXRIB, VT2RIB	110	1334	2760	Very Good	Excellent	8	9	8	8	9
A6458	B	VT2RIB, CONV, CONV WX	110	1373	2800	Good	Excellent	8	7	8	7	8
A6462	F	STXRIB, VT2RIB	110	1335	2760	Very Good	Excellent	7	8	8	8	9
A6472	H	VT2RIB, CONV	110	1336	2770	Very Good	Excellent	9	8	7	8	7
A641-06	F/G	STXRIB, VT2RIB	111	1361	2781	Excellent	Very Good	9	9	8	9	7
A641-78	F	STXRIB, VT2RIB, CONV	111	1372	2773	Very Good	Excellent	7	7	8	7	9
A6488	F	VT2RIB	111	1430	2790	Good	Excellent	7	8	7	7	9
A641-80WX	F	WXVT2PRO, CONV WX	111	1425	2745	Very Good	Excellent	9	8	7	8	7
A6498WX	F	WXVT2PRO, CONV WX	111	1414	2732	Very Good	Very Good	8	8	8	8	7
A642-59	F	STXRIB, VT2PRO, VT2RIB	112	1370	2795	Very Good	Excellent	8	9	8	9	8
A6499	F	STX, STXRIB, VT2PRO, VT2RIB, CONV	112	1362	2800	Excellent	Excellent	8	8	7	10	8
A6501	B	RR, CONV	112	1354	2830	Good	Excellent	8	8	8	8	7
A643-41	F/G	CONV	113	1392	2815	Very Good	Very Good	8	9	8	8	9
A643-87	B	AS3220EZ	113	1423	2830	Excellent	Very Good	8	8	7	9	9
A6517	B	VT2RIB, CONV	113	1460	2825	Very Good	Excellent	8	8	8	7	9
A6533	B	VT3PRIB, VT2RIB, RR, CONV, CONV WX	113	1430	2820	Very Good	Excellent	8	8	8	8	7
A6538	F	STXRIB, VT2RIB	113	1422	2847	Very Good	Excellent	8	8	8	7	8
A6544	A	STXRIB, VT2PRO, VT2RIB	113	1467	2830	Good	Excellent	9	8	9	8	8
A644-32	F	TRCRIB, TRC	114	1400	2815	Good	Excellent	9	9	8	8	8
A6572	G	STXRIB, VT2PRO, VT2RIB, CONV	114	1465	2835	Excellent	Excellent	9	9	9	9	7
A6573	B	VT3PRIB, VT2RIB	114	1495	2830	Good	Excellent	9	8	8	6	9
A6579	H	STXRIB, VT2PRIB	114	1475	2820	Very Good	Excellent	7	8	7	9	7
A6619	H	VT2RIBD1	114	1480	2867	Excellent	Very Good	8	8	8	10	8
A645-10	F	VT2PRO, VT2RIB, RR, CONV	115	1460	2845	Very Good	Excellent	9	8	8	9	8
A646-12	A	STXRIB, VT2RIB, VT2PRO	116	1487	2840	Good	Excellent	8	8	8	7	9
A6652	H	STXRIB, VT2RIB	116	1485	2836	Very Good	Excellent	9	9	9	9	8
A6659	F	VT2PRO, VT2RIB, RR	116	1490	2850	Good	Excellent	9	8	8	8	9
A647-46	F/G	STX	117	1516	2893	Excellent	Good	10	10	8	9	9
A647-90	G	STXRIB, VT2PRO, VT2RIB	117	1500	2925	Excellent	Very Good	10	10	7	8	9
A6711	F	VT2PRO	118	1556	2920	Very Good	Excellent	9	8	7	8	8

**INPUT AND OUTPUT TRAIT TECHNOLOGY LEGEND**

STXRIB SmartStax® RIB Complete® Corn Blend  
STX SmartStax® Corn

VT3PRIB Genuity® VT Triple PRO® RIB Complete® Corn Blend  
VT3PRO Genuity® VT Triple PRO® Corn

WXVT3PRO Waxy Genuity® VT Triple PRO® Corn  
VIPTERA 3111 Agrisure Viptera® 3111

VT2RIBD1 DroughtGard® VT Double Pro® RIB Complete® Corn Blend  
VIPTERA 3220A E-Z Agrisure Viptera® 3220A E-Z Refuge®

TRCRIB Trecepta™ RIB Complete® Corn Blend  
TRC Trecepta™

WXVT2PRO Waxy VT Double Pro®  
VT2RIB VT Double Pro® RIB Complete® Corn Blend

MATURITY RANGE  
**109 TO 118 DAYS**

**GRAIN QUALITY**

**PLANTING RECOMMENDATIONS**

TEST WEIGHT	KERNEL TEXTURE	PLANT HEIGHT	LOW		MEDIUM		HIGH		BRAND
			30" ROWS	NARROW/TWIN ROWS	30" ROWS	NARROW/TWIN ROWS	30" ROWS	NARROW/TWIN ROWS	
8	Medium	Medium	28-32,000	30-34,000	32-34,000	34-36,000	32-36,000	34-36,000	<b>A639-41</b>
8	Medium Hard	Tall	28-32,000	30-34,000	32-34,000	34-36,000	32-36,000	34-36,000	<b>A6442</b>
8	Medium Hard	Medium	28-30,000	30-32,000	30-34,000	32-35,000	34-36,000	36-38,000	<b>A640-77</b>
5	Medium Soft	Medium	28-30,000	30-32,000	30-32,000	32-34,000	32-34,000	34-36,000	<b>A6458</b>
8	Medium Hard	Medium	28-30,000	30-32,000	30-34,000	32-35,000	34-36,000	36-38,000	<b>A6462</b>
8	Medium Hard	Medium	28-30,000	30-32,000	30-34,000	32-35,000	33-36,000	36-38,000	<b>A6472</b>
9	Medium Hard	Medium Tall	28-30,000	30-32,000	30-34,000	32-35,000	33-36,000	36-38,000	<b>A641-06</b>
8	Medium Hard	Medium Tall	25-28,000	28-30,000	28-30,000	30-32,000	32-34,000	33-35,000	<b>A641-78</b>
9	Medium Hard	Medium	28-30,000	30-32,000	30-33,000	32-34,000	33-35,000	34-36,000	<b>A6488</b>
8	Medium Hard	Medium Tall	28-30,000	30-32,000	30-34,000	32-35,000	33-36,000	36-38,000	<b>A641-80WX</b>
8	Medium Hard	Medium	28-30,000	30-32,000	30-34,000	32-35,000	33-36,000	36-38,000	<b>A6498WX</b>
8	Medium Hard	Medium Tall	28-30,000	30-32,000	30-33,000	32-35,000	33-36,000	36-38,000	<b>A642-59</b>
9	Hard	Medium Short	28-30,000	30-32,000	30-33,000	32-35,000	33-36,000	36-38,000	<b>A6499</b>
9	Hard	Medium	26-30,000	28-32,000	30-32,000	32-34,000	32-34,000	34-36,000	<b>A6501</b>
8	Medium	Medium Tall	28-30,000	30-32,000	30-32,000	32-34,000	32-34,000	34-36,000	<b>A643-41</b>
8	Medium	Tall	26-28,000	28-30,000	29-31,000	31-33,000	32-34,000	34-36,000	<b>A643-87</b>
6	Medium	Medium Tall	28-30,000	30-32,000	30-32,000	32-34,000	32-34,000	34-36,000	<b>A6517</b>
7	Medium	Medium Tall	28-30,000	30-32,000	30-33,000	32-35,000	33-36,000	36-38,000	<b>A6533</b>
8	Medium Hard	Medium	28-30,000	30-32,000	30-33,000	32-35,000	33-36,000	36-38,000	<b>A6538</b>
8	Medium Hard	Medium Tall	28-30,000	30-32,000	30-32,000	32-34,000	32-34,000	34-36,000	<b>A6544</b>
9	Medium Hard	Medium Tall	26-28,000	28-30,000	29-31,000	31-33,000	32-34,000	34-36,000	<b>A644-32</b>
9	Hard	Medium	28-30,000	28-30,000	30-32,000	30-33,000	32-35,000	33-36,000	<b>A6572</b>
7	Medium	Medium Tall	28-30,000	30-32,000	30-33,000	32-35,000	33-36,000	36-38,000	<b>A6573</b>
8	Medium Hard	Medium	26-30,000	30-32,000	30-33,000	32-34,000	33-35,000	34-36,000	<b>A6579</b>
8	Medium	Tall	22-26,000	24-30,000	26-30,000	28-32,000	30-34,000	32-34,000	<b>A6619</b>
9	Medium Hard	Medium	26-28,000	28-30,000	32-34,000	32-34,000	34-36,000	34-36,000	<b>A645-10</b>
9	Hard	Medium Tall	28-30,000	30-32,000	30-32,000	32-34,000	32-34,000	34-36,000	<b>A646-12</b>
7	Medium	Medium Tall	22-26,000	24-28,000	26-30,000	28-32,000	30-34,000	32-36,000	<b>A6652</b>
9	Medium Hard	Medium	28-30,000	30-32,000	30-33,000	32-35,000	33-36,000	36-38,000	<b>A6659</b>
10	Hard	Tall	28-30,000	30-32,000	30-32,000	32-34,000	32-34,000	34-36,000	<b>A647-46</b>
10	Hard	Medium Tall	28-30,000	30-32,000	30-32,000	32-34,000	32-34,000	34-36,000	<b>A647-90</b>
9	Hard	Medium	28-30,000	30-32,000	30-32,000	32-34,000	32-34,000	34-36,000	<b>A6711</b>

Ratings are based on other AgriGold hybrids

1 = Our lowest rating in the category 10 = Our best rating in the category N.R. = Not Recommended

VT2PRO VT Double Pro®  
VIPTERA 3220E-Z Agrisure Viptera® 3220 E-Z Refuge®  
RR Roundup Ready® Corn 2  
WX Waxy  
CONV Conventional

Ratings are assigned by AgriGold® based on comparisons with other AgriGold® products (not competitive products) through in-house field testing. Performance may vary from location to location and from year to year, as local growing, soil and weather conditions may vary. Growers should evaluate data from multiple locations and years whenever possible and should consider the impacts of these conditions on the grower's fields.